Contents

1 Introduction **8**

2 Adding Random Variables and Convolution **10**

2.1 Adding Discrete Random Variables 10

2.2 Convolution 12

3 How the Application Works **14**

3.1 Running the Application 14

3.2 Layout of the Application 15

3.2.1 Introductory Screens 15

3.2.2 Defining and Adding Independent Random Variables 15

3.2.3 The Convolution Algorithm At Work. 21

3.2.4 Play Time! 24

3.3 Design Philosophy 25

4 Code Structure **28**

4.1 The CDS SCHEME Environment 28

4.2 The Need for `eval-file` 29

4.3 Page Constructor Actions 30

4.4 Menu Actions 31

4.5 Plotter Constructor Actions 33

4.6 Object Actions 33

4.7 Using Sliders 34

4.8 Using Primitives 35

5 Enhancements to the CDS Environment **37**

5.1 Menu Primitives 37

5.2 Barchart Primitives 39

5.3 Mathematical Primitives 40

5.4 SCHEME Development 41

5.5 Segmentation Violations 41

6 Assessing CDS as a Presentation Authoring Tool **42**

6.1 The Editing Environment 42

6.2 The SCHEME Interpreter 43

6.3 Application Development 43

A Source Code Listing **44**

B C++ Source Code Enhancements **52**

C CDS File - convolution.cds **57**

D Glossary **81**

List of Figures

3-1 The convolution operation displayed within CDS. 16

3-2 Defining and adding independent random variables, at start-up. . . . 17

3-3 Defining PMFs for two random variables using sliders. 18

3-4 A warning message displayed when bad user input is received. 19

3-5 A table enumerating all points in the sample space and PMF C. . . . 20

3-6 The convolution algorithm at work - sliding PMF A. 21

3-7 The convolution algorithm at work - sliding PMF B. 23

3-8 Defining and convolving binomial PMFs. 24

3-9 Setting PMF A to a section of PMF C. 26

4-1 General SCHEME functions used in the CDS convolution application. 30