```
vmreclaim
.setsafe
setpagedevice
.locksafe
.lockfileaccess
serverdict
    .jobsave
    execjob
    .adminjob
    setrealdevice
    .jobsavelevel
    exitserver
statusdict
    papertray
    diskstatus
    hardwareiomode
    realformat
    pagestackorder
    setdefaultpapertray
    .pagetypeprocs
        a3
        ANSI_D
        isob4
        jisb5
        archC
        pa4
        isob1
        ansi_c
        b6
        c3
        a8
        archc
        letter
        ANSI_C
        b3
        jisb4
        archD
        halfletter
        b0
        ansi_b
        isob6
        c2
        a7
        archb
        legal
        a2
        tabloid
        isob3
        jisb3
        archE
        flse
        isob0
        ansi_a
        b5
        c1
        a6
        archa
        ledger
        a1
        ANSI_B
        b2
        ansi_f
        jisb2
        c6
        flsa
        a0
        a5
        ANSI_F
        isob5
        c0
        archA
        a4small
        ANSI_A
        isob2
        ansi_e
        jisb1
        c5
        a10
        arche
        note
        a4
        ANSI_E
        b4
        jisb6
        archB
        11x17
```

```
    hagaki
    b1
    ansi_d
    jisb0
    c4
    a9
    archd
    lettersmall
flsetray
setduplexmode
setpagemargin
.password
manualfeed
setdosysstart
.printername
a4tray
jobtimeout
paperfamily
setresolution
ramsize
pagecount
defaultpapertray
dostartpage
flsatray
revision
setpage
checkpassword
waittimeout
jobname
dosysstart
printername
a3tray
setjobtimeout
lettertray
setprintername
.pagetypenames
.leftmargin
setdefaultpaperfamily
setdostartpage
b5tray
appletalktype
settumble
.idlefonts
setsoftwareiomode
printererror
11x17tray
setidlefonts
legaltray
setpassword
diskonline
byteorder
.topmargin
defaultpaperfamily
setdefaulttimeouts
b4tray
product
pageparams
trayswitch
setsccinteractive
idlefonts
softwareiomode
prefeed
setdefaulttrayswitch
seteescratch
ledgertray
setpagetype
.timeouts
buildtime
margins
setallowjobreset
a6tray
sccinteractive
pagemargin
setpapertray
processcolors
setsccbatch
eescratch
sethardwareiomode
pagetype
defaulttrayswitch
halflettertray
setpageparams
defaulttimeouts
manualfeedtimeout
allowjobreset
sccbatch
```

```
    a5tray
    setmargins
resourceforall
.defaultdevicename
defaultdevice
@PJL
devicenames
 M
 E
 E
StandardEncoding
.defaultImageDict
    VSamples
    QFactor
    Blend
    HSamples
.pdfcvsall
.distillerparamkeys
    DSCEncodingToUnicode
    CalGrayProfile
    PassThroughJPEGImages
    DownsampleGrayImages
    PreserveEPSInfo
    LockDistillerParams
    GrayImageDownsampleType
    PDFXTrimBoxToMediaBoxOffset
    ConvertCMYKImagesToRGB
    AutoFilterColorImages
    UsePrologue
    ColorImageFilter
    EncodeMonoImages
    MonoImageFilter
    sRGBProfile
    CalCMYKProfile
    AutoRotatePages
    DownsampleColorImages
    NeverEmbed
    ImageMemory
    CompatibilityLevel
    ParseDSCCommentsForDocInfo
    ColorImageAutoFilterStrategy
    ASCII85EncodePages
    UseFlateCompression
    NeverOutline
    ColorImageDownsampleThreshold
    ColorConversionStrategy
    EncodeGrayImages
    MonoImageDownsampleThreshold
    MonoImageResolution
    PreserveHalftoneInfo
    DetectBlends
    GrayACSImageDict
    GrayImageFilter
    ColorImageResolution
    ParseDSCComments
    AntiAliasMonoImages
    PDFStartPage
    AlwaysOutline
    ColorImageDict
    ColorACSImageDict
    EncodeColorImages
    UCRandBGInfo
    MonoImageDict
    PreserveCopyPage
    Binding
    DefaultRenderingIntent
    EmbedAllFonts
    GrayImageDownsampleThreshold
    Optimize
    AntiAliasGrayImages
    PDFEndPage
    TransferFunctionInfo
    PSPageOptions
    ColorImageDepth
    EmitDSCWarnings
    PreserveOverprintSettings
    MonoImageDepth
    MonoImageDownsampleType
    PDFXBleedBoxToTrimBoxOffset
    AutoPositionEPSFiles
    PSPageOptionsWrap
    ConvertImagesToIndexed
    DoThumbnails
    GrayImageDict
    ColorImageDownsampleType
    OPM
```

```
    AntiAliasColorImages
    CoreDistVersion
    SubsetFonts
    PSDocOptions
    CalRGBProfile
    CannotEmbedFontPolicy
    DownsampleMonoImages
    PreserveOPIComments
    MaxSubsetPct
    GrayImageResolution
    PDFXSetBleedBoxToMediaBox
    GrayImageAutoFilterStrategy
    AutoFilterGrayImages
    PassThroughJPXImages
    CompressPages
    CreateJobTicket
    GrayImageDepth
    OffOptimizations
    AlwaysEmbed
    LZWEncodePages
EPSBoundingBoxState
.make_DSC_translation_table
.registerencoding
.standardfonts
.pdfcvsloop
.loadnonttfontfile
findencoding
.a1111
.pdfcvs
.findnonttfontvalue
.distillersettings
    printer
        CompatibilityLevel
        UCRandBGInfo
        DoThumbnails
        ColorImageDownsampleType
        PreserveEPSInfo
        ColorConversionStrategy
        GrayImageDownsampleType
        EmbedAllFonts
        CannotEmbedFontPolicy
        MonoImageResolution
        PreserveOPIComments
        GrayImageResolution
        GrayACSImageDict
            QFactor
            Blend
            HSamples
            VSamples
            ColorTransform
        ColorImageResolution
        PreserveOverprintSettings
        CreateJobTicket
        AutoRotatePages
        MonoImageDownsampleType
        NeverEmbed
        ColorACSImageDict
            QFactor
            Blend
            HSamples
            VSamples
            ColorTransform
    default
        UCRandBGInfo
        DoThumbnails
        DownsampleGrayImages
        PreserveEPSInfo
        ColorConversionStrategy
        EmbedAllFonts
        CannotEmbedFontPolicy
        DownsampleMonoImages
        PreserveOPIComments
        Optimize
        GrayACSImageDict
            VSamples
            QFactor
            Blend
            HSamples
        PreserveOverprintSettings
        CreateJobTicket
        AutoRotatePages
        DownsampleColorImages
        NeverEmbed
        ColorACSImageDict
            VSamples
            QFactor
```

```
        Blend
        HSamples
prepress
    CompatibilityLevel
    UCRandBGInfo
    DoThumbnails
    ColorImageDownsampleType
    PreserveEPSInfo
    ColorConversionStrategy
    GrayImageDownsampleType
    EmbedAllFonts
    CannotEmbedFontPolicy
    MonoImageResolution
    PreserveOPIComments
    GrayImageResolution
    GrayACSImageDict
        QFactor
        Blend
        HSamples
        VSamples
        ColorTransform
    ColorImageResolution
    PreserveOverprintSettings
    CreateJobTicket
    AutoRotatePages
    MonoImageDownsampleType
    NeverEmbed
    ColorACSImageDict
        QFactor
        Blend
        HSamples
        VSamples
        ColorTransform
screen
    CompatibilityLevel
    UCRandBGInfo
    DoThumbnails
    ColorImageDownsampleType
    PreserveEPSInfo
    ColorConversionStrategy
    GrayImageDownsampleType
    EmbedAllFonts
    CannotEmbedFontPolicy
    MonoImageResolution
    PreserveOPIComments
    GrayImageResolution
    GrayACSImageDict
        QFactor
        Blend
        HSamples
        VSamples
        ColorTransform
    ColorImageResolution
    PreserveOverprintSettings
    CreateJobTicket
    AutoRotatePages
    MonoImageDownsampleType
    NeverEmbed
    ColorACSImageDict
        QFactor
        Blend
        HSamples
        VSamples
        ColorTransform
PSL2Printer
    CompatibilityLevel
    UCRandBGInfo
    ASCII85EncodePages
    DoThumbnails
    DownsampleGrayImages
    ColorImageDownsampleType
    PreserveEPSInfo
    CompressFonts
    ColorConversionStrategy
    GrayImageDownsampleType
    EmbedAllFonts
    CannotEmbedFontPolicy
    DownsampleMonoImages
    PreserveHalftoneInfo
    PreserveOPIComments
    MonoImageResolution
    TransferFunctionInfo
    GrayImageResolution
    GrayACSImageDict
        QFactor
        Blend
```

```
            HSamples
            VSamples
            ColorTransform
        CompressPages
        PreserveOverprintSettings
        ColorImageResolution
        AutoRotatePages
        MonoImageDownsampleType
        DownsampleColorImages
        NeverEmbed
        ColorACSImageDict
            QFactor
            Blend
            HSamples
            VSamples
            ColorTransform
    ebook
        CompatibilityLevel
        UCRandBGInfo
        DoThumbnails
        ColorImageDownsampleType
        PreserveEPSInfo
        ColorConversionStrategy
        GrayImageDownsampleType
        EmbedAllFonts
        CannotEmbedFontPolicy
        MonoImageResolution
        PreserveOPIComments
        GrayImageResolution
        GrayACSImageDict
            QFactor
            Blend
            HSamples
            VSamples
            ColorTransform
        ColorImageResolution
        PreserveOverprintSettings
        CreateJobTicket
        AutoRotatePages
        MonoImageDownsampleType
        NeverEmbed
        ColorACSImageDict
            QFactor
            Blend
            HSamples
            VSamples
            ColorTransform
.defineencoding
.loadttfonttables
.a2112
.pdfdsc
.currentdistillerparams
.findencoding
setglobal
.epsfheader
.pdfcvbuf
.pdfdsc_dict
setdistillerparams
EncodingDirectory
    ISOLatin1Encoding
    SymbolEncoding
    MacGlyphEncoding
    MacExpertEncoding
    StandardEncoding
    PDFDocEncoding
    MacRomanEncodingForTrueType
    .GS_extended_SymbolEncoding
    DingbatsEncoding
    MacRomanEncoding
    WinAnsiEncoding
currentglobal
pdf===only
.distillerdevice
FontDirectory
********
SymbolEncoding
.pdf===dict
    packedarraytype
    nametype
    dicttype
    arraytype
    realtype
.screenACSImageDict
    QFactor
    Blend
    HSamples
```

```
    VSamples
    ColorTransform
.write_small_positive_real
===
pdfmark
===only
ISOLatin1Encoding
.prepressACSImageDict
    QFactor
    Blend
    HSamples
    VSamples
    ColorTransform
.pdfparamerror
write===
write===only
.file_table_pos_names
    loca
    glyf
DingbatsEncoding
write==
.printerACSImageDict
    QFactor
    Blend
    HSamples
    VSamples
    ColorTransform
.hexdigits
write==only
anchorsearchforany
DEFAULTPAPERSIZE
.symbol_list
    bracketrighttp
    x16
    arrowleft
    bracketrightbt
    x27
    arrowvertex
    x255
    asteriskmath
    parenright
    minus
    theta1
    four
    x133
    Upsilon
    question
    x144
    chi
    x155
    union
    omicron
    copyrightserif
    x4
    zeta
    lozenge
    x15
    arrowboth
    bracketleftbt
    x26
    approxequal
    parenrightex
    suchthat
    parenleft
    x132
    Iota
    three
    x143
    Tau
    greater
    x154
    beta
    braceright
    intersection
    nu
    registerserif
    x3
    psi
    bullet
    x14
    spade
    arrowdbldown
    x25
    equivalence
    bracketleftex
    existential
```

x131
emptyset
Eta
two
x142
Sigma
equal
x153
alpha
bar
gradient
lambda
arrowdblright
x2
xi
bracketlefttp
x13
heart
integralbt
x24
divide
notequal
universal
ampersand
x130
Gamma
one
mu
Rho
less
x141
radicalex
braceleft
x152
kappa
circleplus
x1
omega
angle
x12
diamond
product
x23
partialdiff
arrowdblup
x129
percent
circlemultiply
Phi
zero
x140
Theta
semicolon
x151
perpendicular
notelement
arrowdblleft
phi1
parenleftex
x0
omega1
parenleftbt
x11
club
integraltp
x22
proportional
integralex
x128
weierstrass
parenrighttp
Epsilon
slash
x139
Pi
colon
x150
therefore
underscore
element
iota
florin
arrowdblboth
upsilon
parenlefttp
x10

infinity
integral
x21
greaterequal
bracerightmid
x127
numbersign
Rfraktur
Delta
period
x138
Omicron
nine
x149
Zeta
plusminus
reflexsubset
eta
logicalor
summation
tau
x240
x9
lessequal
angleright
x20
second
bracerighttp
x31
Ifraktur
bracerightbt
Chi
x137
degree
Nu
eight
x148
Psi
bracketright
x159
gamma
fraction
propersubset
sigma
logicaland
x8
minute
ellipsis
x19
arrowdown
trademarksans
x30
exclam
aleph
Beta
comma
x136
Mu
seven
x147
Xi
x158
notsubset
phi
dotmath
copyrightsans
rho
braceleftbt
x7
Upsilon1
braceex
x18
arrowright
bracketrightex
x29
space
carriagereturn
Alpha
plus
x135
Lambda
six
x146
Omega
bracketleft
x157

```
    epsilon
    reflexsuperset
    multiply
    theta
    radical
    x6
    Euro
    logicalnot
    x17
    arrowup
    registersans
    x28
    arrowhorizex
    braceleftmid
    congruent
    x134
    propersuperset
    Kappa
    five
    x145
    sigma1
    x156
    trademarkserif
    delta
    angleleft
    bracelefttp
    pi
    parenrightbt
    x5
    similar
.distillercommon
    StartPage
    CalGrayProfile
    MonoImageDict
        K
    PassThroughJPEGImages
    DownsampleGrayImages
    PreserveCopyPage
    Binding
    LockDistillerParams
    DefaultRenderingIntent
    PDFXTrimBoxToMediaBoxOffset
    AutoFilterColorImages
    GrayImageDownsampleThreshold
    UsePrologue
    ColorImageFilter
    Optimize
    AntiAliasGrayImages
    EncodeMonoImages
    TransferFunctionInfo
    ColorImageDepth
    MonoImageFilter
    EmitDSCWarnings
    sRGBProfile
    CalCMYKProfile
    MonoImageDepth
    EndPage
    PDFXBleedBoxToTrimBoxOffset
    DownsampleColorImages
    ImageMemory
    PSPageOptionsWrap
    ConvertImagesToIndexed
    ParseDSCCommentsForDocInfo
    AutoPositionEPSFiles
    GrayImageDict
        VSamples
        QFactor
        Blend
        HSamples
    UseFlateCompression
    ColorImageDownsampleThreshold
    OPM
    ASCII85EncodePages
    EncodeGrayImages
    SubsetFonts
    CalRGBProfile
    MonoImageDownsampleThreshold
    AntiAliasColorImages
    DownsampleMonoImages
    PreserveHalftoneInfo
    MaxSubsetPct
    DetectBlends
    PDFXSetBleedBoxToMediaBox
    AutoFilterGrayImages
    GrayImageFilter
    PassThroughJPXImages
```

```
    CompressPages
    ParseDSCComments
    AntiAliasMonoImages
    GrayImageDepth
    ColorImageDict
        VSamples
        QFactor
        Blend
        HSamples
    OffOptimizations
    AlwaysEmbed
    EncodeColorImages
NullFont
    FontBBox
    Encoding
    FontType
    OrigFont
        FontBBox
        Encoding
        FontType
        OrigFont
            FontBBox
            Encoding
            FontType
            OrigFont
                FontBBox
                Encoding
                FontType
                OrigFont
                    FontBBox
                    Encoding
                    FontType
                    OrigFont
                        FontBBox
                        Encoding
                        FontType
                        OrigFont
                            FontBBox
                            Encoding
                            FontType
                            OrigFont
                                FontBBox
                                Encoding
                                FontType
                                OrigFont
                                    FontBBox
                                    Encoding
                                    FontType
                                    OrigFont
                                        FontBBox
                                        Encoding
                                        FontType
                                        OrigFont
                                            FontBBox
                                            Encoding
                                            FontType
                                            OrigFont
                                                FontBBox
                                                Encoding
                                                FontType
                                                OrigFont
                                                    FontBBox
                                                    Encoding
                                                    FontType
                                                    OrigFont
                                                        FontBBox
                                                        Encoding
                                                        FontType
                                                        OrigFont
                                                            FontBBox
                                                            Encoding
                                                            FontType
                                                            OrigFont
                                                                FontBBox
                                                                Encoding
                                                                FontType
                                                                OrigFont
                                                                    FontBBox
                                                                    Encoding
                                                                    FontType
                                                                    OrigFont
                                                                        FontBBox
                                                                        Encoding
                                                                        FontType
                                                                        OrigFont
                                                                            FontBBox
```

```
Encoding
FontType
OrigFont
    FontBBox
    Encoding
    FontType
    OrigFont
        FontBBox
        Encoding
        FontType
        OrigFont
            FontBBox
            Encoding
            FontType
            OrigFont
                FontBBox
                Encoding
                FontType
                OrigFont
                    FontBBox
                    Encoding
                    FontType
                    OrigFont
                        FontBBox
                        Encoding
                        FontType
                        OrigFont
                            FontBBox
                            Encoding
                            FontType
                            OrigFont
                                FontB
                                Encod
                                FontT
                                OrigF
                                    F
                                    E
                                    F
                                    O
```