



2.017 Design of Electromechanical Robotic Systems, Fall 2009

Lab 1: Introduction to Microcontrollers

Assigned: 9/14/09

1 Overview

Welcome to 2.017 lab! The purpose of this lab is for you to get familiarized with the lab space and the equipment in the lab. We will then learn about a microcontroller called Arduino that we will be using in the formal labs. The Arduino microcontrollers are very popular because of their ease of use, and they provide a good balance between capabilities and cost. Thanks to their popularity, you can find a wealth of information on the web about these microcontrollers. You may want to check out Arduino's official web site at <http://www.arduino.cc/> first to find out more information.

Each group will be given an experimentation kit (offered by <http://www.oomlout.com>) that includes all the pieces needed to complete 11 different circuits, along with an experimenter's guide booklet and breadboard layout sheets. You need to keep the kit and its contents in a safe place when you are done with the lab. You can also take the kit with you if you want to experiment with the microcontroller outside the lab, but make sure you take good care of it and bring it back for the next lab.

The last half hour of the lab is set aside for project discussion. Today you will need to formulate your team and decide which project you want to do.

2 Arduino Experimentation Kit

The circuits in the Arduino kit are designed to explore microcontroller basics, covering LEDs, transistors, motors, integrated circuits, pushbuttons, variable resistors, photo resistors, temperature sensors and relays. They represent common sensors, actuators, and circuitry that are important for building a robotic system. You will also find them helpful for your lab project.

The kit includes the following components:

- Arduino Prototyping Bundle: Arduino Duemilanove board (<http://arduino.cc/en/Main/ArduinoBoardDuemilanove>), breadboard & acrylic holder
- 75 Piece Jumper Wire Bundle
- Printed 29 page Experimenter's Guide
- 11+1 Breadboard Layout Sheets
- USB Cable
- Multi-compartment Plastic Storage Box
- Loads of components
 - 5mm Red LEDs (x10)



- 5mm Green LEDs (x10)
- 10mm Blue LED (x1)
- Toy DC Motor (x1)
- Mini Servo Motor (x1)
- 8-Bit Shift Register (74HC595) (x1)
- Piezo Element (x1)
- Pushbuttons (x2)
- Potentiometer (10k) (x1)
- Photo Resistor (x1)
- Temperature Sensor (TMP36) (x1)
- Relay (5v DPDT) (x1)
- Transistors (P2N222A) (x2)
- Resistors (560 Ohm x25, 2.2k Ohm x3, 10k Ohm x3)
- Diodes (1N4001) (x2)

The guide is also available on-line at <http://www.instructables.com/id/Arduino-Experimentation-Kit-How-to-get-Started-wi/> and on the course web site (http://stellar.mit.edu/S/course/2/fa09/2.017/courseMaterial/topics/topic2/resource/Arduino_Experimenters_Guide/Arduino_Experimenters_Guide.pdf). Make sure you follow the step by step instructions to construct the circuits.

For this lab you need to complete the following 4 circuits:

- {CIRC01} Getting Started - (Blinking LED)
- {CIRC02} 8 LED Fun - (Multiple LEDs)
- {CIRC07} Button Pressing - (Pushbuttons)
- {CIRC08} Twisting - (Potentiometers)

We will finish the rest of the circuits in the next few labs. We encourage you to explore the components and circuits if you finish your circuits early.

3 Setting Up and Programming Arduino

The goals for this microcontroller lab are for you to learn how to:

- setup the Arduino and the development software on the host computer
- write simple C code and download to the Arduino
- interact with simple sensors and actuators
- acquire data to the host computer through the USB port

Follow the instructions on Page 3 of the User's Guide to download and install the Arduino Development software and to setup the USB driver. Using the included USB cable, plug your Arduino board into a free USB port on the computer.

You will then need to find out the correct USB Serial Port that is connected to the Arduino. For this, click the "Start" menu and select "Run..." then type in the command



“devmgmt.msc” and click “OK”. From the “Device Manager” window locate the COM port number that corresponds to the USB Serial Port, as shown in Figure 1.

Now run the Arduino software by double-clicking the shortcut on Window’s desktop. You should then see the Arduino software development window on the Windows desktop as shown in Figure 2.

Before we can communicate with the Arduino board we need to configure the software to point to the correct microcontroller board and serial port. This is normally a one-time configuration so long as you use the same computer and the Arduino board. From the “Tools” menu, click “Board” and select “Arduino Duemilanove w/ATmega328”, then click “Serial Port” and select the correct COM port for the USB Serial Port that we just found.

Now open the “Blink” example code and click the “Upload to I/O Board” icon on the tool bar. This will compile, build, and download the code to the Arduino board. You should see a blinking LED light on the board once it is done uploading.

After you have successfully configured the board, you should be ready to try out today’s circuits. The teaching staff will help you resolve any problems you may encounter.




Figure 1. Locating the USB Serial Port on the Device Manager Window




Figure 2. Arduino software development environment

4 Deliverables

- Show and explain each completed circuit to the teaching staff.
- Show the teaching staff your lab notebook.